

SAFETY DATA SHEET a

Caligo Wiping Compound/Tack Reducer / Medium d' essuyage / Medium fur Druckfarben

Page 1 of 4

Date: 12/1/2015

1. IDENTIFICATION

Identification on the label:

Caligo Wiping Compound

Use:

Modifier for oil based printing inks.

Emergency Telephone Number:

(Office hours only)

Alkyl Ethoxylate

not available

70-80%

<5%

Xi

38

MEASURES

Extinguishing media: Water spray jet, alcohol resistant foam, carbon dioxide

Extinguishing media which must not be used for safety reasons: Full water jet

Hazardous combustion products: Hazardous combustion products arising from the substance or preparation itself, combustion products.

Other hazards: In case of fire may be liberated: combustion gases (e.g. carbon monoxide, carbon dioxide) and other organic compounds

Special fire fighting equipment for fire fighters:

Use of breathing apparatus and chemical protective clothing.

Additional precautions: Do not inhale combustion gases. Use water spray jet to protect personnel and to prevent contamination of equipment.

SAFETY DATA SHEET a

Caligo Wiping Compound -Tack Reducer / Medium d' essuyage / Medium fur Druckfarben

Page 2 of 4

Date: 12/1/2015

6. ACCIDENTAL RELEASES

Personal precautions
Wear personal protective equipment to avoid contact with vapours, skin and eyes in case of a spillage of product.

Environmental precautions

Prevent the product from entering soil/subsoil or drains/surface water (e.g. by containment of oil barriers).

Cleanup

Use absorbent material (e.g. universal binding agent, dry sand, sawdust) to absorb the product and dispose of it properly. Clean contaminated equipment thoroughly.

STORAGE

Ensure sufficient aeration and suction in the room. Keep away from incompatible substances (chapter 10). Keep away from heat and direct sunlight. Keep the original container in a well-ventilated, closed container tightly closed. Do not store together with other products (chapter 10). Do not store over 35°C.

EXPOSURE / PERSONAL PROTECTION

For more information, see chapter 10 (TRGS 901 - 72, Germany)

| Value mg/m³ | Peak Limit | Notes |
|----------------|------------------|-----------------------|
| | Exceeding Factor | |
| 600 | | AGW, RCP Method |

7. No additional measures

Check for leak tightness / impermeability. Suitable material with breakthrough (mm); material, temperature and body weight. See chapter 10 for more information. Protection (EN 166)

Do not inhale vapours. Do not eat.

SAFETY DATA SHEET a

Caligo Wiping Compound/Tack Reducer / Medium d' essuyage / Medium für Druckfarben

Page 3 of 4

Date: 12/1/2015

| | |
|----|----------------------------------|
| 9. | PHYSICAL AND CHEMICAL PROPERTIES |
| | <u>Physical state:</u> f |
| | <u>Colour:</u> c |
| | <u>Odour:</u> c |

disposed of in a suitable hazardous waste incineration facility.

Material: Completely emptied packages can be disposed of or recycled.

TRANSPORT INFORMATION

not a dangerous good in the sense of the transport regulations.

Caligo Wiping Compound/Tack Reducer / Medium d' essuyage / Medium fur Druckfarben

Page 4 of 4

Date: 12/1/2015

15. REGULATORY INFORMATION

Classification according to

Hazard symbol(s) :
and hazard name(s):

Germany):
NGK): 1 (VwVwS dt 17 May 1999)

REGULATORY INFORMATION

Number and full text) under chapter 3:

in.

cause lung damage if swallowed.
posure may cause skin dryness or cracking.

ons given in this safety data sheet are correct :

12/1/2015
12/1/2015
12/1/2015